ELSEVIER

AUTHOR INDEX

A

Abekura M. *See* Matsuimoto K
Aihara N. *See* Kanda Y
Akagi K. *See* Matsuimoto K
Al-Shatoury HA. Neuro-oncology: The Essentials, 72-br
Andrews R. *See* Patil A-A
Antoniuk A. *See* Rodrigues MA
Apfelbaum RI. Microvascular decompression in the treatment of hypertension: Review and update, 10-com
Araújo JC. *See* Rodrigues MA
Ausman JI. "Don't wait to become a great man-be a great boy," 128-ed
Ausman JI. How I remove a spontaneous cerebellar hematoma in a deteriorating patient, 162
Ausman JI. In this issue, 1-ed, 73-ed, 131-ed, 189-ed, 247-ed, 311-ed
Ausman JI. Strategy and technique for removal of a falcine meningioma in a patient presenting with bilateral meningiomas, 204
Ausman JI. The problems neurosurgeons are facing, 383-ed
Ausman JI. Thoughts of a young European neurosurgeon, 187-ed
Ausman JI. Warning signs along the road, 102-rc
Ausman JI. Why academic health centers are failing, 126-ed

B

Bahloul K. *See* Rebai R
Barbosa M, Rios O, Velásquez M, Villalobos J, Ehrmanns J. Acetylcholinesterase and butyrylcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106
Bekar A, Cordan T, Evrensel T, Tolunay S. A case of primary spinal intramedullary lymphoma, 261
Ben Mansour H. *See* Rebai R
Berger E. Postoperative results of lumbar spine conditions, 244-rc
Berker M. *See* Oruckaptan HH
Besser M. Spontaneous cerebellar hemorrhage: Clinical remarks on 50 cases, 161-com
Birkmeyer NJ. *See* Papavasiliou AK
Boldorini R. *See* Greco Crasto S
Bontempini L. *See* Nicolato A
Boudawara MZ. *See* Rebai R
Boudawara T. *See* Rebai R
Boulis NM, Mian FS, Rodrigiez D, Cho E, Hoff JT. Urinary retention following routine neurosurgical spine procedures, 23
Bradac GB. *See* Greco Crasto S
Bret P, Jouvet A, Madarassy G, Guyotat J, Trouillas J. Visceral cancer metastasis to pituitary adenoma: Report of two cases, 284
Brotchi J. A case of primary spinal intramedullary lymphoma, 264-com
Bruce JN. *See* Schwartz TH
Brunori A. *See* Nina P
Burchiel KJ. Continuous intrathecal morphine treatment for chronic pain of non-malignant etiology: Long-term benefits and efficacy, 86-com
Burkert W. *See* Marx T
Buxton N, Ho KJ, Macarthur D, Vloeberghs M, Punt J, Robertson I. Neuroendoscopic third ventriculostomy for hydrocephalus in adults: Report of a single unit's experience with 63 cases, 74

C

Cabezudo JM. *See* Ugarriza LF
Capasso F. *See* Nina P
Carvalho GA. *See* Iaconetta G
Cervoni L. *See* Salvati M
Chaari S. *See* Rebai R
Chabchoub I. *See* Rebai R
Chand A. *See* Patil A-A
Chang C-Z. *See* Lin C-L
Chang H-S. Urinary retention following routine neurosurgical spine procedures, 27-com
Chen I-J. *See* Lin C-L
Chiappetta F. *See* Nina P
Cho E. *See* Boulis NM
Cole HO. Calvarial hemangiomas: Report of two cases and review of the literature, 67-com
Cole HO. Intracerebral epidermoid tumor: A case report and review of the literature, 222-com
Cole HO. Urinary retention following routine neurosurgical spine procedures, 27-com
Cordan T. *See* Bekar A
Corpetti MG. *See* Nina P
Corsten LA. Chronic Hydrocephalus Following Aneurysmal Subarachnoid Hemorrhage, 72-br

D

Debrun G. Re-evaluation of cellulose acetate polymer: Angiographic findings and histological studies, 122-com
Debrun G. The usefulness of 3D MR angiography in surgery for ruptured cerebral aneurysms, 364-com

br = book review; ed = editorial; com = commentary; rc = resident's corner.

© 2001 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0090-3019/01/$–see front matter
PII S0090-3019(01)00522-5

Debrun G. Transarterial intravenous coil embolization of dural arteriovenous fistula involving the superior sagittal sinus, 358-com
Debrun G. Transluminal stent-assisted coil embolization of a vertebral confluence aneurysm: Technique report, 296-com
De Jesús O, Toledo MM. Surgical management of meningioma in plaque of the sphenoid ridge, 265
Delfini R. *See* Salvati M
Demurtas F. *See* Nina P
de Sousa AA. Characteristics of aneurysms arising from the horizontal portion of the anterior cerebral artery. 154-com
Dickman CA. Vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation: A case report, 33-com
Donaldson JW, Pritz MB. Myocardial stunning secondary to aneurysmal subarachnoid hemorrhage, 12
Dorsch N. Prevention of cerebral vasospasm by a capsaicin derivative, glyceryl nonivamide, in an experimental model of subarachnoid hemorrhage, 301-com
Dorsch NWC. Clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 146-com
Dorsch NWC. The usefulness of 3D MR angiography in surgery for ruptured cerebral aneurysms, 364-com
Dowd CF. Endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms: A case report, 352-com
Dowd CF. Treatment of deep cerebral venous thrombosis by local infusion of tissue plasminogen activator, 346-com
Drake JM. Neuroendoscopic third ventriculostomy for hydrocephalus in adults: Report of a single unit's experience with 63 cases, 78-com
Dufour H, Fesselet J, Métellus P, Figarella-Branger D, Grisoli F. Cavernous hemangioma of the sphenoid sinus: Case report and review of the literature, 169

E

Ehrmanns J. *See* Barbosa M
Engelhard HH. Multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma: A combined stereotactic-radiosurgical approach, 234-com
Engelhard HH. Progress in the diagnosis and treatment of patients with meningiomas. Part 1: Diagnostic imaging preoperative embolization, 89
Epstein N. Anterior approaches to cervical spondylosis and ossification of the posterior longitudinal ligament: Review of operative technique and assessment of 65 multilevel circumferential procedures, 313
Epstein NE. Urinary retention following routine neurosurgical spine procedures, 27-com
Evrensel T. *See* Bekar A

F

Faccio C. *See* Papavasiliou AK
Fager CA. Posterior approach for soft cervical disc herniation: A neglected technique?, 22-com
Fager CA. Progress and paradox, 305-ed
Feeney JM. *See* Papavasiliou AK
Ferraresi P. *See* Nicolato A
Fesselet J. *See* Dufour H
Figarella-Branger D. *See* Dufour H
France JC. *See* Prabhu VC
Freeman LP. *See* Koenigsberg RA
Fujiki M. *See* Isono M
Fujishige M. *See* Wanibuchi M
Fujita M. *See* Seki Y
Fukai J, Terada T, Kuwata T, Hyotani G, Raimura M, Nakagawa M, Yabumoto M, Kamei I. Transarterial intravenous coil embolization of dural arteriovenous fistula involving the superior sagittal sinus, 353
Fukuhara T, Luciano MG. Clinical features of late-onset idiopathic aqueductal stenosis, 132
Fukui M. Spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 62-com

G

Gerosa M. *See* Nicolato A
Goda M. *See* Isono M
Goodman JM. Growth potential of female prolactinomas, 217-com
Goodrich JT. Extended frontal approach with bilateral orbitofrontoethmoidal osteotomies for removal of a giant extracranial schwannoma in the nasopharynx, sphenoid sinus, and parapharyngeal space, 274-com
Gotou H. *See* Watanabe Z
Gotou T. *See* Watanabe Z
Grandinetti LM. *See* Koenigsberg RA
Greco Crasto S, Soffietti R, Bradac GB, Boldorini R. Primitive cerebral melanoma: Case report and review of the literature, 163
Grisoli F. *See* Dufour H
Guyotat J. *See* Bret P

H

Hahn YS. Operative Techniques in Pediatric Neurosurgery, 245-br
Hanel RA. *See* Rodrigues MA
Hanyu N. *See* Watanabe Z
Haraoka J. *See* Nishioka H
Harbaugh KS. *See* Papavasiliou AK
Harbaugh RE. *See* Papavasiliou AK
Heidecke V. *See* Marx T
Hellwig D. Clinical features of late-onset idiopathic aqueductal stenosis, 136-com
Henn J. Midaortic syndrome in childhood associated with a ruptured cerebral aneurysm: A case report, 212-com
Hirano A. *See* Nishioka H
Hoff JT. *See* Boulis NM
Hoh BL. B-Mode ultrasonographic investigations of morphological changes in endarterectomized carotid artery, 56-com
Ho KJ. *See* Buxton N

Horowitz M. Treatment of deep cerebral venous thrombosis by local infusion of tissue plasminogen activator, 346-com
Horowitz MB, Levy EI, Koebbe CJ, Jungreis CC. Transluminal stent-assisted coil embolization of a vertebral confluence aneurysm: Technique report, 291
Howng S-L. *See* Lin C-L
Hsu FPK. Continuous intrathecal morphine treatment for chronic pain of non-malignant etiology: Long-term benefits and efficacy, 86-com
Hyotani G. *See* Fukai J

I

Iaconetta G, Carvalho GA, Vorkapic P, Samii M. Intracerebral epidermoid tumor: A case report and review of the literature, 218
Imaizumi S, Onuma T, Mino M, Kameyama M, Motohashi O. Free hand aspiration for large periventricular hemorrhage: Case report, 376
Inaba K. *See* Wanibuchi M
Inoue R. *See* Ishii K
Ishiguro M. *See* Wanibuchi M
Ishii K. *See* Isono M
Ishii K, Isono M, Kasai N, Nakano T, Kubo T, Inoue R, Nomura Y. Midaortic syndrome in childhood associated with a ruptured cerebral aneurysm: A case report, 209
Isono M. *See* Ishii K
Isono M, Ishii K, Kamida T, Fujiki M, Goda M, Kobayashi H. Retro-odontoid soft tissue mass associated with atlantoaxial subluxation in an elderly patient: A case report, 223
Ito H. *See* Nishioka H
Izaki K. *See* Watanabe Z
Izurieta M. Practical Differential Diagnosis in Surgical Neuropathology, 71-br

J

Jannetta PJ. *See* Levy EI
Jensen RL, Wurster RD. Calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
Jho HD. *See* Thompson TP
Jouvet A. *See* Bret P
Jungreis CC. *See* Horowitz MB

K

Kagawa R, Okada Y, Shima T, Nishida M, Yamane K, Moritake K. B-Mode ultrasonographic investigations of morphological changes in endarterectomized carotid artery, 50
Kamagata M. *See* Kobayashi S
Kamei I. *See* Fukai J
Kameyama M. *See* Imaizumi S
Kamida T. *See* Isono M
Kanda Y, Mase M, Aihara N, Yamada K, Sugino F, Tateyama H. Sellar hemangiopericytoma mimicking pituitary adenoma, 113
Kasai N. *See* Ishii K
Kaufman JK. *See* Pritz MB
Kelly M. *See* Kumar K
Khanam H, Lipper MH, Wolff CL, Lopes MBS. Calvarial hemangiomas: Report of two cases and review of the literature, 63
Kida Y. *See* Kobayashi T
Kikuchi Y. *See* Watanabe Z
Kimura M. *See* Seki Y
Kiozumi J. *See* Watanabe Z
Kobayashi H. *See* Isono M
Kobayashi S, Kamagata M, Nakamura M, Nakazato Y, Sasaki T. Pineal apoplexy because of massive hemorrhage associated with cavernous angioma: Case report, 365
Kobayashi T, Kida Y, Mori Y. Long-term results of stereotactic gamma radiosurgery of meningiomas, 325
Koebbe CJ. *See* Horowitz MB
Koenigsberg RA, Grandinetti LM, freeman LP, McCormick D, Tsai F. Endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms: A case report, 347
Kolchinsky A. "Conflict of interests" and development of new drugs: Crisis in the making, 240-ed
Kornblith PL. Calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 283-com
Kornblith PL. Primitive cerebral melanoma: Case report and review of the literature, 168-com
Kotsou S. *See* Rovlias A
Kowada M. *See* Watanabe Z
Kubo T. *See* Ishii K
Kumar K, Kelly M, Pirlot T. Continuous intrathecal morphine treatment for chronic pain of non-malignant etiology: Long-term benefits and efficacy, 79
Kuroiwa T, Takeuchi E, Tsutsumi A. Ectopic arachnoid granulomatosis: A case report, 180
Kurokawa Y. *See* Wanibuchi M
Kuwata T. *See* Fukai J
Kwan A-L. *See* Lin C-L

L

Lee KC. Characteristics of aneurysms arising from the horizontal portion of the anterior cerebral artery, 155-com
Lemole GM. Midaortic syndrome in childhood associated with a ruptured cerebral aneurysm: A case report, 212-com
Levy EI. *See* Horowitz MB; Thompson TP
Levy EI, Scarrow AM, Jannetta PJ. Microvascular decompression in the treatment of hypertension: Review and update, 2
Lim SH. *See* Watanabe Z
Lin C-L, Lo Y-C, Chang C-Z, Kwan A-L, Chen I-J, Howng S-L. Prevention of cerebral vasospasm by a capsaicin derivative, glyceryl nonivamide, in an experimental model of subarachnoid hemorrhage, 297
Lipper MH. *See* Khanam H
Liu Z. *See* Yang X
Li Y. *See* Yang X
Loch Macdonald R. A study of blood coagulation and fibrinolytic system in spontaneous subarachnoid hemorrhage, 203-com

Loftus CM. B-Mode ultrasonographic investigations of morphological changes in endarterectomized carotid artery, 57-com
Lopes MBS. *See* Khanam H
Lorenzana LM. *See* Ugarriza LF
Lo Y-C. *See* Lin C-L
Luciano MG. *See* Fukuhara T
Lunsford LD. *See* Thompson TP
Lunsford LD. Long-term results of stereotactic gamma radiosurgery of meningiomas, 331-com

M

Macarthur D. *See* Buxton N
Macdonald RL. *See* Yamini B
Madarassy G. *See* Bret P
Maddaloni E. *See* Nina P
Magarotto R. *See* Nicolato A
Maiman DJ. Retro-odontoid soft tissue mass associated with atlantoaxial subluxation in an elderly patient: A case report, 226-com
Martinez-Lage JF, Piqueras C, Poza M. Lumbar canal stenosis. A cause of late neurological deterioration in patients with spina bifida, 256
Martin PB. *See* Papavasiliou AK
Marx T, Rainov NG, Heidecke V, Burkert W. Secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
Mascott CR. *See* Summers LE
Mase M. *See* Kanda Y
Matsumoto K, Akagi K, Abekura M, Tasaki O. Vertex epidural hematoma associated with traumatic arteriovenous fistula of the middle meningeal artery: A case report, 302
McCormick D. *See* Koenigsberg RA
Métellus P. *See* Dufour H
Mian FS. *See* Boulis NM
Miller NR. Surgery for orbital lesions, 384-rc
Mino M. *See* Imaizumi S
Mizuno J, Nakagawa H, Tsuji Y, Yamada T. Primary amyloidoma of the thoracic spine presenting with acute paraplegia, 378
Mizutani N. *See* Seki Y
Montilla J. *See* Zurita M
Moritake K. *See* Kagawa R
Mori Y. *See* Kobayashi T
Motohashi O. *See* Imaizumi S

N

Nakagawa H. *See* Mizuno J
Nakagawa H. Urinary retention following routine neurosurgical spine procedures, 27-com
Nakagawa M. *See* Fukai J
Nakamura M. *See* Kobayashi S
Nakano T. *See* Ishii K
Nakazato Y. *See* Kobayashi S
Nicolato A, Ferraresi P, Bontempini L, Tomazzoli L, Magarotto R, Gerosa M. Multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma: A combined stereotactic-radiosurgical approach, 232
Nina P, Schisano G, Chiappetta F, Papa ML, Maddaloni E, Brunori A, Capasso F, Corpetti MG, Demurtas F. A study of blood coagulation and fibrinolytic system in spontaneous subarachnoid hemorrhage, 197
Nishida M. *See* Kagawa R
Nishioka H, Ito H, Haraoka J, Hirano A. Growth potential of female prolactinomas, 213
Nomura Y. *See* Ishii K

O

Ogilvy CS. B-Mode ultrasonographic investigations of morphological changes in endarterectomized carotid artery, 56-com
Okada Y. *See* Kagawa R
Onuma T. *See* Imaizumi S
Oruckaptan HH, Berker M, Soylemezoglu F, Ozcan OE. Parafalcine chondrosarcoma: An unusual localization for a classical variant. Case report and review of the literature, 174
Oya S. *See* Zurita M
Ozcan OE. *See* Oruckaptan HH

P

Pagni CA. Retro-odontoid soft tissue mass associated with atlantoaxial subluxation in an elderly patient: A case report, 227-com
Pagni CA. Urinary retention following routine neurosurgical spine procedures, 28-com
Papa ML. *See* Nina P
Papavasiliou AK, Harbaugh KS, Birkmeyer NJ, Feeney JM, Martin PB, Faccio C, Harbaugh RE. Clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 138
Patel SJ. Microvascular decompression in the treatment of hypertension: Review and update, 11-com
Patil A-A, Chand A, Andrews R. Single incision for implanting a vagal nerve stimulator system (VNSS): Technical note, 103
Pawl RP. Continuous intrathecal morphine treatment for chronic pain of non-malignant etiology: Long-term benefits and efficacy, 87-com
Pearce JE. Calvarial hemangiomas: Report of two cases and review of the literature, 67-com
Philippon J. Clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 146-com
Phuenpathom N. *See* Saeheng S
Piepmeier JM. Calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 283-com
Piqueras C. *See* Martinez-Lage JF
Pirlot T. *See* Kumar K
Porras LF. *See* Ugarriza LF
Post KD. Sellar hemangiopericytoma mimicking pituitary adenoma, 115-com
Poza M. *See* Martinez-Lage JF
Prabhu VC, France JC, Voelker JL, Zoarski GH. Vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation: A case report, 29
Prevedello DMS. *See* Rodrigues MA
Pritz MB. *See* Donaldson JW

Pritz MB, Kaufman JK. Ruptured middle cerebral artery aneurysm and bilateral chronic subdural hematomas, 123
Punt J. *See* Buxton N

R
Raco A. *See* Salvati M
Raimura M. *See* Fukai J
Rainov NG. *See* Marx T
Raja AI. Neurosurgical Classics II, 71-br
Rajshekhar V. *See* Santosh IP
Ramirez JM. *See* Ugarriza LF
Ransohoff J, Smith DA. Neurosurgery 2000, 68-ed
Rebai R, Boudawara MZ, Bahloul K, Chabchoub I, Chaari S, Boudawara T, Ben Mansour H. Cavernous sinus tuberculoma: Diagnostic difficulties in a personal case, 372
Richardson DE. *See* Summers LE
Rios O. *See* Barbosa M
Robertson I. *See* Buxton N
Rodrigues MA, Hanel RA, Prevedello DMS, Antoniuk A, Araújo JC. Posterior approach for soft cervical disc herniation: A neglected technique?, 17
Rodriguez D. *See* Boulis NM
Roitberg B. Functional recovery in chronic paraplegic rats after co-grafts of fetal brain and adult peripheral nerve tissue, 254-com
Roitberg B. Myocardial stunning secondary to aneurysmal subarachnoid hemorrhage, 16-com
Roitberg B. Surgery of Spinal Trauma, 71-br
Rosenblum J. *See* Yamini B
Ross LS. Urinary retention following routine neurosurgical spine procedures, 28-com
Rovlias A, Kotsou S. The blood leukocyte count and its prognostic significance in severe head injury, 190

S
Saeheng S, Phuenpathom N. Traumatic occipitoatlantal dislocation, 35
Salvati M, Cervoni L, Raco A, Delfini R. Spontaneous cerebellar hemorrhage: Clinical remarks on 50 cases, 156
Samii M. *See* Iaconetta G
Samii M. Cavernous sinus tuberculoma: Diagnostic difficulties in a personal case, 375-com
Sano H. Characteristics of aneurysms arising from the horizontal portion of the anterior cerebral artery, 154-com
Santosh IP, Rajshekhar V. Galactorrhea as the sole presenting symptom of a posterior third ventricular epidermoid cyst, 46
Sasaki T. *See* Kobayashi S
Sawaya R. A study of blood coagulation and fibrinolytic system in spontaneous subarachnoid hemorrhage, 203-com
Scarrow AM. *See* Levy EI
Schisano G. *See* Nina P
Schwartz TH, Bruce JN. Extended frontal approach with bilateral orbitofrontoethmoidal osteotomies for removal of a giant extracranial schwannoma in the nasopharynx, sphenoid sinus, and parapharyngeal space, 270
Sekhar LN. Surgical management of meningioma in plaque of the sphenoid ridge, 269-com
Seki Y, Fujita M, Mizutani N, Kimura M, Suzuki Y. Spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 58
Shima T. *See* Kagawa R
Shuey HM Jr. Postoperative results of lumbar spine conditions, 244-rc
Slavin KV. Continuous intrathecal morphine treatment for chronic pain of non-malignant etiology: Long-term benefits and efficacy, 87-com
Smith DA. *See* Ransohoff J
Soffietti R. *See* Greco Crasto S
Soylemezoglu F. *See* Oruckaptan HH
Spetzler RF. Midaortic syndrome in childhood associated with a ruptured cerebral aneurysm: A case report, 212-com
Sugino F. *See* Kanda Y
Summers LE, Mascott CR, Tompkins JR, Richardson DE. Frontal sinus osteoma associated with cerebral abscess formation: A case report, 235
Sun Y. *See* Yang X
Suzuki Y. *See* Seki Y
Sypert GW. Lumbar canal stenosis. A cause of late neurological deterioration in patients with spina bifida, 260-com
Sypert GW. Traumatic occipitoatlantal dislocation, 40-com

T
Takeuchi E. *See* Kuroiwa T
Tang J. *See* Yang X
Tasaki O. *See* Matsuimoto K
Tatagiba M. Cavernous sinus tuberculoma: Diagnostic difficulties in a personal case, 375-com
Tateyama H. *See* Kanda Y
Terada T. *See* Fukai J
Thompson TP, Levy EI, Jho HD, Lunsford LD. Primum non nocere: Multimodality management strategies when multiple mass lesions strike a single patient, 332
Thornton J. Endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms: A case report, 352-com
Thornton J. Vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation: A case report, 34-com
Toledo MM. *See* De Jesús O
Tolunay S. *See* Bekar A
Tomazzoli L. *See* Nicolato A
Tompkins JR. *See* Summers LE
Trier TT. Midaortic syndrome in childhood associated with a ruptured cerebral aneurysm: A case report, 212-com
Trouillas J. *See* Bret P
Tsai F. *See* Koenigsberg RA
Tsuji Y. *See* Mizuno J
Tsutsumi A. *See* Kuroiwa T
Tsuzuki N. Surgery for orbital lesions, 384-rc

U

Ugarriza LF, Cabezudo JM, Ramirez JM, Lorenzana LM, Porras LF. Bilateral and symmetric C1-C2 dumbbell ganglioneuromas producing severe spinal cord compression, 228

V

VanGilder JC. Cavernous hemangioma of the sphenoid sinus: Case report and review of the literature, 173-com

VanGilder JC. Galactorrhea as the sole presenting symptom of a posterior third ventricular epidermoid cyst, 49-com

VanGilder JC. Sellar hemangiopericytoma mimicking pituitary adenoma, 115-com

Vaquero J. *See* Zurita M

Velásquez M. *See* Barbosa M

Villalobos J. *See* Barbosa M

Vloeberghs M. *See* Buxton N

Voelker JL. *See* Prabhu VC

Vorkapic P. *See* Iaconetta G

W

Wagner FC Jr. Lumbar Disc Herniation, 245-br

Wanibuchi M, Kurokawa Y, Ishiguro M, Fujishige M, Inaba K. Characteristics of aneurysms arising from the horizontal portion of the anterior cerebral artery, 148

Watanabe K. *See* Watanabe Z

Watanabe Z, Kikuchi Y, Izaki K, Hanyu N, Lim SH, Gotou H, Koizumi J, Gotou T, Kowada M, Watanabe K. The usefulness of 3D MR angiography in surgery for ruptured cerebral aneurysms, 359

Wolff CL. *See* Khanam H

Wurster RD. *See* Jensen RL

Wu Z. *See* Yang X

Wyler AR. Single incision for implanting a vagal nerve stimulator system (VNSS): Technical note, 105-com

Y

Yabumoto M. *See* Fukai J

Yamada K. *See* Kanda Y

Yamada T. *See* Mizuno J

Yamane K. *See* Kagawa R

Yamini B, Macdonald RL, Rosenblum J. Treatment of deep cerebral venous thrombosis by local infusion of tissue plasminogen activator, 340

Yang X, Wu Z, Li Y, Tang J, Sun Y, Liu Z, Yin K. Re-evaluation of cellulose acetate polymer: Angiographic findings and histological studies, 116

Yin K. *See* Yang X

Z

Zoarski GH. *See* Prabhu VC

Zurita M, Vaquero J, Oya S, Montilla J. Functional recovery in chronic paraplegic rats after co-grafts of fetal brain and adult peripheral nerve tissue, 249

ELSEVIER

SUBJECT INDEX

A

Academic health centers, 126-ed
Acetylcholinesterase, and butyrlcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106
Acoustic neuroma, multimodality management strategies when multiple mass lesions strike a single patient, 332
Amyloidoma, primary, of thoracic spine presenting with acute paraplegia, 378
Analgesia, continuous intrathecal morphine for chronic pain of nonmalignant etiology, 79
Aneurysms
  arising from horizontal portion of anterior cerebral artery, 148
  blood coagulation and fibrinolytic system in spontaneous subarachnoid hemorrhage, 197
  cellulose acetate polymer: angiographic findings and histological studies, 116
  clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 138
  midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
  myocardial stunning secondary to aneurysmal subarachnoid hemorrhage, 12
  prevention of cerebral vasospasm by glyceryl nonivamide in experimental model of subarachnoid hemorrhage, 297
  ruptured middle cerebral artery aneurysm and bilateral chronic subdural hematomas, 123
  spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 58
  transluminal stent-assisted coil embolization of vertebral confluence aneurysm, 291
  usefulness of 3D MR angiography in surgery for ruptured cerebral aneurysms, 359
Angiography
  aneurysms arising from horizontal portion of anterior cerebral artery, 148
  cellulose acetate polymer: angiographic findings and histological studies, 116
  diagnosis and treatment of meningiomas. part I: diagnostic imaging, preoperative embolization, 89
  ectopic arachnoid granulomatosis, 180
  midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
  myocardial stunning secondary to aneurysmal subarachnoid hemorrhage, 12
  spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 58
  transluminal stent-assisted coil embolization of vertebral confluence aneurysm, 291
  usefulness of 3D MR angiography in surgery for ruptured cerebral aneurysms, 359
  vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation, 29
  vertex epidural hematoma associated with traumatic arteriovenous fistula of middle meningeal artery, 302
Aortic coarctation, midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
Arachnoid cyst, multimodality management strategies when multiple mass lesions strike a single patient, 332
Arachnoid granulomatosis, ectopic, 180
Arteriovenous fistula
  transarterial intravenous coil embolization of dural arteriovenous fistula involving superior sagittal sinus, 353
  vertex epidural hematoma associated with traumatic arteriovenous fistula of middle meningeal artery, 302
Atlantoaxial subluxation, retro-odontoid soft tissue mass and, in elderly patient, 223

B

Basilar artery, prevention of cerebral vasospasm by glyceryl nonivamide in experimental model of subarachnoid hemorrhage, 297
BOOK REVIEWS
  Chronic Hydrocephalus following Aneurysmal Subarachnoid Hemorrhage, 72
  Lumbar Disc Herniation, 245
  Neuro-Oncology: The Essentials, 72
  Neurosurgical Classics II, 71
  Operative Techniques in Pediatric Neurosurgery, 245
  Practical Differential Diagnosis in Surgical Neuropathology, 71
  Surgery of Spinal Trauma, 71
Brain abscess, frontal sinus osteoma and, 235
Brain tumors
  acetylcholinesterase and butyrlcholinesterase histochemical activities and tumor cell growth in, 106
  calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
  diagnosis and treatment of meningiomas. part I: diagnostic imaging, preoperative embolization, 89

br = book review; ed = editorial; le = letter.

© 2001 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0090-3019/01/$–see front matter
PII S0090-3019(01)00521-3

galactorrhea as sole presenting symptom of posterior third ventricular epidermoid cyst, 46
growth potential of female prolactinomas, 213
long-term results of stereotactic gamma radiosurgery of meningiomas, 325
multimodality management strategies when multiple mass lesions strike a single patient, 332
multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma, 232
parafalcine chondrosarcoma, 174
primitive cerebral melanoma, 163
removal of falcine meningioma in patient with bilateral meningiomas, 204
secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
sellar hemangiopericytoma mimicking pituitary adenoma, 113
surgical management of meningioma en plaque of sphenoid ridge, 265
visceral cancer metastasis to pituitary adenoma, 284
Brainstem, microvascular decompression in treatment of hypertension, 2
Butyrlcholinesterase, and acetylcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106

C
Calcium channel antagonists
clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 138
inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
Calvarial hemangiomas, 63
Carotid artery
endarterectomized, B-mode ultrasonographic investigations of morphological changes in, 50
endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms, 347
Cavernous angioma
hemangioma of sphenoid sinus, 169
pineal apoplexy because of massive hemorrhage associated with, 365
Cavernous sinus tuberculoma, 372
Cellulose acetate polymer, angiographic findings and histological studies, 116
Cerebellar hemorrhage, spontaneous, 156
how I remove hematoma in deteriorating patient, 162
Cerebral arteries
aneurysms arising from horizontal portion of anterior cerebral artery, 148
ruptured middle cerebral artery aneurysm and bilateral chronic subdural hematomas, 123
spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 58
Cervical spine
anterior approaches to cervical spondylosis and ossification of posterior longitudinal ligament, 313
bilateral C1-C2 dumbbell ganglioneuromas producing severe spinal cord compression, 228
posterior approach for soft cervical disc herniation, 17
primary spinal intramedullary lymphoma, 261
progress and paradox, 305-ed
retro-odontoid soft tissue mass and atlantoaxial subluxation in elderly patient, 223
traumatic occipitoatlantal dislocation, 35
urinary retention following routine neurosurgical spine procedures, 23
vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation, 29
Chemotherapy, primary spinal intramedullary lymphoma, 261
Chondrosarcoma, parafalcine, 174
Chronic pain, of nonmalignant etiology, continuous intrathecal morphine treatment for, 79
Coagulation, and fibrinolytic system in spontaneous subarachnoid hemorrhage, 197
Coiling techniques
transarterial intravenous coil embolization of dural arteriovenous fistula involving superior sagittal sinus, 353
transluminal stent-assisted coil embolization of vertebral confluence aneurysm, 291
Collateral arteries, spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on, 58
Complications
endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms, 347
neuroendoscopic third ventriculostomy for hydrocephalus in adults, 74
secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
urinary retention following routine neurosurgical spine procedures, 23
vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation, 29
Computed tomography
aneurysms arising from horizontal portion of anterior cerebral artery, 148
calvarial hemangiomas, 63
cavernous hemangioma of sphenoid sinus, 169
cavernous sinus tuberculoma, 372
diagnosis and treatment of meningiomas. part I: diagnostic imaging, preoperative embolization, 89
ectopic arachnoid granulomatosis, 180
frontal sinus osteoma and cerebral abscess, 235
galactorrhea as sole presenting symptom of posterior third ventricular epidermoid cyst, 46
intracerebral epidermoid tumor, 218
midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
myocardial stunning secondary to aneurysmal subarachnoid hemorrhage, 12
primary amyloidoma of thoracic spine presenting with acute paraplegia, 378
primitive cerebral melanoma, 163
secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
spontaneous cerebellar hemorrhage, 156
spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 58

Craniopharyngioma, acetylcholinesterase and butyrlcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106

D

Delayed ischemic neurological deficit, clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 138
Diltiazem
  calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
  clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 138
Drug development, "conflict of interests" and, 240-ed

E

Editorials
  "Conflict of interests" and development of new drugs: crisis in the making, 240
  "Don't wait to become a great man—be a great boy!", 128
  Neurosurgery 2000, 68
  The problems neurosurgeons are facing, 383
  Progress and paradox, 305
  In this issue, 1, 73, 131, 189, 247, 311
  Thoughts of a young European neurosurgeon, 187
  Why academic health centers are failing, 126
Elderly persons, retro-odontoid soft tissue mass and atlantoaxial subluxation in, 223
Endarterectomized carotid artery, B-mode ultrasonographic investigations of morphological changes in, 50
Endoscopic third ventriculostomy
  clinical features of late-onset idiopathic aqueductal stenosis, 132
  for hydrocephalus in adults, 74
Endovascular management
  cellulose acetate polymer: angiographic findings and histological studies, 116
  diagnosis and treatment of meningiomas. part I: diagnostic imaging, preoperative embolization, 89
  for repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms, 347
  transarterial intravenous coil embolization of dural arteriovenous fistula involving superior sagittal sinus, 353
  transluminal stent-assisted coil embolization of vertebral confluence aneurysm, 291
  treatment of deep cerebral venous thrombosis by local infusion of tissue plasminogen activator, 340
  vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation, 29
Epidermoid cyst, posterior third ventricular, galactorrhea as sole presenting symptom of, 46
Epidermoid tumor, intracerebral, 218
Epidural hematoma, vertex, associated with traumatic arteriovenous fistula of middle meningeal artery, 302
Epilepsy, single incision for implanting a vagal nerve stimulator system, 103
Evans index, clinical features of late-onset idiopathic aqueductal stenosis, 132

F

Falx cerebri
  parafalcine chondrosarcoma, 174
  removal of falcine meningioma in patient with bilateral meningiomas, 204
Fibrinolysis, and blood coagulation in spontaneous subarachnoid hemorrhage, 197
Free hand aspiration, for large periventricular hemorrhage, 376
Frontal sinus osteoma and cerebral abscess, 235

G

Galactorrhea, as sole presenting symptom of posterior third ventricular epidermoid cyst, 46
Gamma knife
  long-term results of stereotactic gamma radiosurgery of meningiomas, 325
  multimodality management strategies when multiple mass lesions strike a single patient, 332
  multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma, 232
Ganglioneuromas, bilateral C1-C2 dumbbell, producing severe spinal cord compression, 228
Glioma, acetylcholinesterase and butyrlcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106
Glyceryl nonivamide, for prevention of cerebral vasospasm in experimental model of subarachnoid hemorrhage, 297

H

Head injury
  severe, blood leukocyte count and its prognostic significance in, 190
  transarterial intravenous coil embolization of dural arteriovenous fistula involving superior sagittal sinus, 353
  vertex epidural hematoma associated with traumatic arteriovenous fistula of middle meningeal artery, 302
Heart, myocardial stunning secondary to aneurysmal subarachnoid hemorrhage, 12
Hemangioma
  calvarial, 63
  cavernous, of sphenoid sinus, 169
Hemangiopericytoma, sellar, mimicking pituitary adenoma, 113
Hematoma
  bilateral chronic subdural, ruptured middle cerebral artery aneurysm and, 123
  vertex epidural, associated with traumatic arteriovenous fistula of middle meningeal artery, 302
Hemorrhage
  aneurysmal subarachnoid
    aneurysms arising from horizontal portion of anterior cerebral artery, 148
    blood coagulation and fibrinolytic system in, 197

clinical outcomes of patients treated with oral diltiazem and limited intensive care management, 132, 138
midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
myocardial stunning secondary to, 12
prevention of cerebral vasospasm by glyceryl nonivamide in experimental model of, 297
usefulness of 3D MR angiography in surgery for ruptured cerebral aneurysms, 359
large periventricular, free hand aspiration for, 376
pineal apoplexy because of massive hemorrhage associated with cavernous angioma, 365
spontaneous cerebellar, 156
how I remove hematoma in deteriorating patient, 162
Hemostasis, blood coagulation and fibrinolytic system in spontaneous subarachnoid hemorrhage, 197
Herniated disc, posterior approach for soft cervical disc herniation, 17
Histopathology
acetylcholinesterase and butyrlcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106
calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
cellulose acetate polymer: angiographic findings and histological studies, 116
ectopic arachnoid granulomatosis, 180
parafalcine chondrosarcoma, 174
primitive cerebral melanoma, 163
visceral cancer metastasis to pituitary adenoma, 284
How I do it
anterior approaches to cervical spondylosis and ossification of posterior longitudinal ligament, 313
removal of falcine meningioma in patient with bilateral meningiomas, 204
removal of spontaneous cerebellar hematoma in deteriorating patient, 162
Hydrocephalus
clinical features of late-onset idiopathic aqueductal stenosis, 132
neuroendoscopic third ventriculostomy in adults, 74
spontaneous cerebellar hemorrhage, 156
Hyperostosis, surgical management of meningioma en plaque of sphenoid ridge, 265
Hypertension, microvascular decompression in treatment of, 2

I
Infection, cavernous sinus tuberculoma, 372
Intervertebral disc, posterior approach for soft cervical disc herniation, 17
Intrathecal opioids, continuous intrathecal morphine for chronic pain of nonmalignant etiology, 79

L
Leukocytosis, blood leukocyte count and its prognostic significance in severe head injury, 190
Lingual nerve, removal of giant extracranial schwannoma in nasopharynx, sphenoid sinus, and parapharyngeal space, 270
Lumbar spine
lumbar canal stenosis, 256
postoperative results of lumbar spine conditions, 244-le
urinary retention following routine neurosurgical spine procedures, 23
Lymphoma, primary spinal intramedullary, 261

M
Magnetic resonance angiography, 3D, usefulness in surgery for ruptured cerebral aneurysms, 359
Magnetic resonance imaging
bilateral C1-C2 dumbbell ganglioneuromas producing severe spinal cord compression, 228
calvarial hemangiomas, 63
cavernous hemangioma of sphenoid sinus, 169
cavernous sinus tuberculoma, 372
clinical features of late-onset idiopathic aqueductal stenosis, 132
diagnosis and treatment of meningiomas. part I: diagnostic imaging, preoperative embolization, 89
ectopic arachnoid granulomatosis, 180
frontal sinus osteoma and cerebral abscess, 235
galactorrhea as sole presenting symptom of posterior third ventricular epidermoid cyst, 46
giant extracranial schwannoma in nasopharynx, sphenoid sinus, and parapharyngeal space, 270
intracerebral epidermoid tumor, 218
lumbar canal stenosis, 256
meningioma en plaque of sphenoid ridge, 265
parafalcine chondrosarcoma, 174
pineal apoplexy because of massive hemorrhage associated with cavernous angioma, 365
primary spinal intramedullary lymphoma, 261
primitive cerebral melanoma, 163
progress and paradox, 305-ed
removal of falcine meningioma in patient with bilateral meningiomas, 204
retro-odontoid soft tissue mass and atlantoaxial subluxation in elderly patient, 223
secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
sellar hemangiopericytoma mimicking pituitary adenoma, 113
spontaneous cerebellar hemorrhage, 156
vertex epidural hematoma associated with traumatic arteriovenous fistula of middle meningeal artery, 302
visceral cancer metastasis to pituitary adenoma, 284
Malignant melanoma, primitive cerebral, 163
Meningioma
acetylcholinesterase and butyrlcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106
calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
diagnosis and treatment. part I: diagnostic imaging, preoperative embolization, 89
long-term results of stereotactic gamma radiosurgery of, 325
multimodality management strategies when multiple mass lesions strike a single patient, 332

removal of falcine meningioma in patient with bilateral meningiomas, 204
surgical management of meningioma en plaque of sphenoid ridge, 265
Metastases
multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma, 232
secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
visceral cancer metastasis to pituitary adenoma, 284
Microvascular decompression, in treatment of hypertension, 2
Midaortic syndrome, in childhood associated with ruptured cerebral aneurysm, 209
Middle meningeal artery, vertex epidural hematoma associated with traumatic arteriovenous fistula of, 302
Morphine, continuous intrathecal, for chronic pain of nonmalignant etiology, 79
Moyamoya phenomenon, spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 58
Myelomeningocele, lumbar canal stenosis, 256
Myelopathy, retro-odontoid soft tissue mass and atlantoaxial subluxation in elderly patient, 223
Myocardial stunning, secondary to aneurysmal subarachnoid hemorrhage, 12

N

Nasopharynx, removal of giant extracranial schwannoma in sphenoid sinus, parapharyngeal space and, 270
Neoplasms
acetylcholinesterase and butyrlcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106
bilateral C1-C2 dumbbell ganglioneuromas producing severe spinal cord compression, 228
calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
calvarial hemangiomas, 63
cavernous hemangioma of sphenoid sinus, 169
diagnosis and treatment of meningiomas. part I: diagnostic imaging, preoperative embolization, 89
ectopic arachnoid granulomatosis, 180
galactorrhea as sole presenting symptom of posterior third ventricular epidermoid cyst, 46
growth potential of female prolactinomas, 213
intracerebral epidermoid tumor, 218
long-term results of stereotactic gamma radiosurgery of meningiomas, 325
multimodality management strategies when multiple mass lesions strike a single patient, 332
parafalcine chondrosarcoma, 174
primary spinal intramedullary lymphoma, 261
primitive cerebral melanoma, 163
removal of falcine meningioma in patient with bilateral meningiomas, 204
removal of giant extracranial schwannoma in nasopharynx, sphenoid sinus, and parapharyngeal space, 270
secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
sellar hemangiopericytoma mimicking pituitary adenoma, 113
surgery for orbital lesions, 384-le
surgical management of meningioma en plaque of sphenoid ridge, 265
visceral cancer metastasis to pituitary adenoma, 284
Neural grafts, functional recovery in chronic paraplegic rats after co-grafts of fetal brain and adult peripheral nerve tissue, 249
Neurosurgery
neurosurgery 2000, 68-ed
problems neurosurgeons are facing, 383-ed
progress and paradox, 305-ed
thoughts of a young European neurosurgeon, 187-ed
warning signs along the road, 102
why academic health centers are failing, 126-ed
New drug development, "conflict of interests" and, 240-ed

O

Occipitoatlantal dislocation, traumatic, 35
Oligodendroglioma, acetylcholinesterase and butyrlcholinesterase histochemical activities and tumor cell growth in several brain tumors, 106
Opioids, continuous intrathecal morphine treatment for chronic pain of nonmalignant etiology, 79
Orbital lesions, surgery for, 384-le
Ossification of posterior longitudinal ligament, anterior approaches to cervical spondylosis and, 313
Osteoma, frontal sinus, associated with cerebral abscess, 235
Osteotomy, extended frontal approach with bilateral orbitofrontoethmoidal osteotomies for removal of giant extracranial schwannoma in nasopharynx, sphenoid sinus, and parapharyngeal space, 270
Outcome
of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 138
blood leukocyte count and its prognostic significance in severe head injury, 190
long-term results of stereotactic gamma radiosurgery of meningiomas, 325
postoperative results of lumbar spine conditions, 244-le

P

Pain management, continuous intrathecal morphine for chronic pain of nonmalignant etiology, 79
Paranasal sinuses
cavernous hemangioma of sphenoid sinus, 169
frontal sinus osteoma and cerebral abscess, 235
removal of giant extracranial schwannoma in nasopharynx, sphenoid sinus, and parapharyngeal space, 270
transarterial intravenous coil embolization of dural arteriovenous fistula involving superior sagittal sinus, 353
Parapharyngeal space, removal of giant extracranial schwannoma in nasopharynx, sphenoid sinus, and, 270

Paraplegia
  acute, primary amyloidoma of thoracic spine presenting with, 378
  functional recovery in chronic paraplegic rats after co-grafts of fetal brain and adult peripheral nerve tissue, 249
Pediatric patients, midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
Pineal apoplexy, because of massive hemorrhage associated with cavernous angioma, 365
Pituitary adenoma
  growth potential of female prolactinomas, 213
  sellar hemangiopericytoma mimicking, 113
  visceral cancer metastasis to, 284
Posterior longitudinal ligament, anterior approaches to cervical spondylosis and ossification of, 313
Prolactinoma, female, growth potential of, 213
Pseudoaneurysm
  endovascular repair of radiation-induced bilateral common carotid artery stenosis and, 347
  vertebral artery, complicating posterior C1–2 transarticular screw fixation, 29

R

Radiation therapy
  endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms, 347
  multimodality management strategies when multiple mass lesions strike a single patient, 332
  primary spinal intramedullary lymphoma, 261
Radiosurgery
  long-term results of stereotactic gamma radiosurgery of meningiomas, 325
  multimodality management strategies when multiple mass lesions strike a single patient, 332
  multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma, 232
Readers' comments
  Postoperative results of lumbar spine conditions, 244-le
  Surgery for orbital lesions, 384-le
Renovascular hypertension, midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
Resident's corner, Warning signs along the road, 102
Rostral ventrolateral medulla, microvascular decompression in treatment of hypertension, 2

S

Schwannoma
  removal of giant extracranial schwannoma in nasopharynx, sphenoid sinus, and parapharyngeal space, 270
  surgery for orbital lesions, 384-le
Screw fixation, vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation, 29
Seizures, single incision for implanting a vagal nerve stimulator system, 103
Skull, calvarial hemangiomas, 63
Sphenoid ridge, surgical management of meningioma en plaque of, 265
Sphenoid sinus
  cavernous hemangioma of, 169
  removal of giant extracranial schwannoma in nasopharynx, parapharyngeal space and, 270
Spina bifida, lumbar canal stenosis, 256
Spinal cord compression, due to bilateral C1–C2 dumbbell ganglioneuromas, 228
Spinal cord injury, functional recovery in chronic paraplegic rats after co-grafts of fetal brain and adult peripheral nerve tissue, 249
Spine. *See* Cervical spine; Lumbar spine; Thoracic spine
Spondylosis, anterior approaches to cervical spondylosis and ossification of posterior longitudinal ligament, 313
Stenosis
  clinical features of late-onset idiopathic aqueductal stenosis, 132
  endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms, 347
  lumbar canal, 256
Stereotactic procedures
  long-term results of stereotactic gamma radiosurgery of meningiomas, 325
  multimodality management strategies when multiple mass lesions strike a single patient, 332
  multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma, 232
  secondary tumor formation after stereotactic biopsy for intracerebral metastatic disease, 41
Subarachnoid hemorrhage, aneurysmal
  aneurysms arising from horizontal portion of anterior cerebral artery, 148
  blood coagulation and fibrinolytic system in, 197
  clinical outcomes of patients treated with oral diltiazem and limited intensive care management, 138
  midaortic syndrome in childhood associated with ruptured cerebral aneurysm, 209
  myocardial stunning secondary to, 12
  prevention of cerebral vasospasm by glyceryl nonivamide in experimental model of, 297
  usefulness of 3D MR angiography in surgery for ruptured cerebral aneurysms, 359
Subdural hematoma, bilateral chronic, ruptured middle cerebral artery aneurysm and, 123
Superior sagittal sinus, transarterial intravenous coil embolization of dural arteriovenous fistula involving, 353
Surgical approach
  anterior approaches to cervical spondylosis and ossification of posterior longitudinal ligament, 313
  extended frontal approach with bilateral orbitofrontoethmoidal osteotomies for removal of giant extracranial schwannoma in nasopharynx, sphenoid sinus, and parapharyngeal space, 270
  multiple brain metastases from "lymphoepithelioma-like" thymic carcinoma, 232
  posterior approach for soft cervical disc herniation, 17
Surgical technique
  free hand aspiration for large periventricular hemorrhage, 376
  meningioma en plaque of sphenoid ridge, 265

microvascular decompression in treatment of hypertension, 2
removal of falcine meningioma in patient with bilateral meningiomas, 204
single incision for implanting a vagal nerve stimulator system, 103
transluminal stent-assisted coil embolization of vertebral confluence aneurysm, 291

T
Third ventricular epidermoid cyst, posterior, galactorrhea as sole presenting symptom of, 46
Third ventriculostomy, endoscopic
clinical features of late-onset idiopathic aqueductal stenosis, 132
for hydrocephalus in adults, 74
Thoracic spine, primary amyloidoma presenting with acute paraplegia, 378
Thrombolysis, treatment of deep cerebral venous thrombosis by local infusion of tissue plasminogen activator, 340
Thymic carcinoma, "lymphoepithelioma-like," multiple brain metastases from, 232
Tissue plasminogen activator, treatment of deep cerebral venous thrombosis by local infusion of, 340
Trauma
blood leukocyte count and its prognostic significance in severe head injury, 190
occipitoatlantal dislocation, 35
transarterial intravenous coil embolization of dural arteriovenous fistula involving superior sagittal sinus, 353
vertex epidural hematoma associated with traumatic arteriovenous fistula of middle meningeal artery, 302
Tuberculoma, cavernous sinus, 372

U
Ultrasonography, B-mode, investigations of morphological changes in endarterectomized carotid artery, 50
Urinary retention, following routine neurosurgical spine procedures, 23

V
Vagal nerve stimulator system, single incision for implantation of, 103
Vasculature
aneurysms arising from horizontal portion of anterior cerebral artery, 148
B-mode ultrasonographic investigations of morphological changes in endarterectomized carotid artery, 50
calvarial hemangiomas, 63
clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management, 138
endovascular repair of radiation-induced bilateral common carotid artery stenosis and pseudoaneurysms, 347
ruptured middle cerebral artery aneurysm and bilateral chronic subdural hematomas, 123
spontaneous middle cerebral artery occlusion leading to moyamoya phenomenon and aneurysm formation on collateral arteries, 58
transarterial intravenous coil embolization of dural arteriovenous fistula involving superior sagittal sinus, 353
treatment of deep cerebral venous thrombosis by local infusion of tissue plasminogen activator, 340
vertebral artery pseudoaneurysm complicating posterior C1–2 transarticular screw fixation, 29
Vasospasm, prevention of cerebral vasospasm by glyceryl nonivamide in experimental model of subarachnoid hemorrhage, 297
Verapamil, calcium channel antagonists inhibit growth of subcutaneous xenograft meningiomas in nude mice, 275
Vertebral artery
pseudoaneurysm complicating posterior C1–2 transarticular screw fixation, 29
transluminal stent-assisted coil embolization of vertebral confluence aneurysm, 291